

	Type	Hits	Search Text	DBs
1	BRS	1352	@ad<19990403 and (integrated same dsp same (processor or core))	USPAT
2	BRS	6	(@ad<19990403 and (integrated same dsp same (processor or core))) and rpc	USPAT
3	BRS	24	(@ad<19990403 and (integrated same dsp same (processor or core))) and (resource adj manage\$4)	USPAT
4	BRS	3	(@ad<19990403 and (integrated same dsp same (processor or core))) and (manage\$4 adj resource)	USPAT
5	BRS	2	(@ad<19990403 and (integrated same dsp same (processor or core))) and (remote adj procedure adj call)	USPAT
6	BRS	23	("4412281" "4475156" "4494188" "4509851" "4525780" "4525795" "4542455" "4633466" "4736318" "4779187" "4811216" "4825358" "4833594" "4887202" "4907229" "4918596" "4926355" "4972314" "5008853" "5021947" "5057996" "5060150" "5095427") .PN.	USPAT
7	BRS	27	5283900.URPN.	USPAT
8	BRS	24	5283900.URPN. and @ad<19990403	USPAT
9	BRS	16	(@ad<19990403 and (processor with (remote same resource same manage\$4)))	USPAT
10	BRS	5	@ad<19990403 and ((multiple adj processors) same (resource adj management))	USPAT
11	BRS	9	@ad<19990403 and ((RPC or (remote adj procedure adj call)) same (resource adj management))	USPAT
12	BRS	91	@ad<19990403 and ((RPC or (remote adj procedure adj call)) and (resource adj management))	USPAT
13	BRS	1725	@ad<19990403 and (((RMI or (remote method invocation)) or (RPC or (remote adj procedure adj call))) and (resource adj management))	USPAT
14	BRS	1	@ad<19990403 and (((RMI or (remote method invocation)) or (RPC or (remote adj procedure adj call))) same(resource adj management) same (multiple adj processors))	USPAT
15	BRS	6	@ad<19990403 and (((RMI or (remote method invocation)) or (RPC or (remote adj procedure adj call))) same (resource adj management) same (data adj processor))	USPAT
16	BRS	387	@ad<19990403 and (((RMI or (remote method invocation)) or (RPC or (remote adj procedure adj call))) same(resource adj management))	USPAT
17	BRS	5	@ad<19990403 and (((RMI or (remote method invocation)) or (RPC or (remote adj procedure adj call))) same(resource adj management)same (DSP))	USPAT

	Type	Hits	Search Text	DBs
18	BRS	12	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) same(resource adj management))	USPAT
19	BRS	100	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) and (resource adj management))	USPAT
20	BRS	134	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) and (resource near2 manageme\$2))	USPAT
21	BRS	175	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) and (resource with manageme\$2))	USPAT
22	BRS	8	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) and (resource with manageme\$2) and dsp)	USPAT
23	BRS	46	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) and (coprocessor))	USPAT
24	BRS	2	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) same (coprocessor))	USPAT
25	BRS	1	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) same (co-processor))	USPAT
26	BRS	17	@ad<19990403 and (((RMI or (remote adj method adj invocation)) or (RPC or (remote adj procedure adj call))) same (DSP))	USPAT
27	BRS	24	("4441152" "4823257" "4947318" "4999768" "5446841" "5455920" "5504918" "5528549" "5590284" "5611075" "5671430" "5677864" "5678021" "5717943" "5724600" "5751987" "5754795" "5778244" "5892934" "5964865" "5987568" "6000027" "6026478" "6185704").PN.	USPAT
28	BRS	23	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same (resource with manage\$4))	USPAT
29	BRS	0	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) and ((resource with manage\$4) same DSP))	USPAT
30	BRS	138	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) and ((resource with manage\$4)))	USPAT

	Type	Hits	Search Text	DBs
31	BRS	3	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) and ((resource with manage\$4)))) and coprocessor	USPAT
32	BRS	3	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) and ((resource with manage\$4)))) and co-processor	USPAT
33	BRS	62	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same (initiali\$2 or setup or (set adj up)))	USPAT
34	BRS	1	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same (initiali\$2 or setup or (set adj up)))) and 5446901.PN.	USPAT
35	BRS	22	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same (shared adj memory))	USPAT
36	BRS	10	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same (dsp))	USPAT
37	BRS	2267	@pd<20000403 and (DSP same processor same memory)	USPAT
38	BRS	1443	@pd<20000403 and (DSP same processor same memory)) and (access with memory)	USPAT
39	BRS	127	@pd<20000403 and (DSP same processor same memory)) and (access with associated with memory)	USPAT
40	IS&R	1	("5546547").PN.	USPAT
41	BRS	4	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same ((read or write) adj memory))	USPAT
42	BRS	36	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same ((read or write) with memory))	USPAT
43	BRS	28	@pd<20000403 and ((RMI or (remote adj method adj invocation) or RPC or (remote adj procedure adj call)) same ((access) with memory))	USPAT
44	BRS	51	@pd<20000403 and ((RMI or (remote adj method adj interface) or RPC or (remote adj procedure adj call)) same ((read or write or access) with memory))	USPAT
45	BRS	13	@pd<20000403 and ((RMI or (remote adj method adj interface) or RPC or (remote adj procedure adj call)) same (send with (program or code)))	USPAT

	Type	Hits	Search Text	DBs
46	BRS	16	@pd<20000403 and ((RMI or (remote adj method adj interface) or RPC or (remote adj procedure adj call)) same ((send or download\$3) with (program or code)))	USPAT
47	IS&R	1	("5898848").PN.	USPAT
48	BRS	0	@pd<20000403 and ((RMI or (remote adj method adj interface) or RPC or (remote adj procedure adj call)) same (native with (word or byte or character) with size))	USPAT
49	BRS	16	@pd<20000403 and ((native with (word or byte or character) with size))	USPAT
50	BRS	233	@pd<20000403 and (indication same ((word or byte or character) with size))	USPAT
51	BRS	103	@pd<20000403 and (indication with (word or byte or character) with size)	USPAT
52	BRS	13	@pd<20000403 and (different adj word adj size)	USPAT
53	BRS	30	@pd<20000403 and (different adj character adj size)	USPAT
54	BRS	103	@pd<20000403 and (different adj character adj size)	USPAT
55	BRS	65	@pd<20000403 and (different adj word adj size)	USPAT
56	BRS	7	@pd<20000403 and (indication with different with (word or byte or character) with size)	USPAT
57	BRS	7	@pd<20000403 and (indication with different with (word or byte or character) with size)	USPAT
58	BRS	65	@pd<20000403 and (different adj word adj size)	USPAT
59	BRS	323	@pd<20000403 and (determine with word with size)	USPAT
60	BRS	0	@pd<20000403 and (determine with word with size with native)	USPAT
61	BRS	60	@pd<20000403 and (determine with word with size with bit)	USPAT
62	BRS	131	((@pd<20000403 and (determine with word with size)) and communicat\$3	USPAT
63	BRS	105	((@pd<20000403 and (determine with word with size)) and communicat\$3) and processor	USPAT
64	BRS	473	@pd<20000403 and (((activate or open) with communication) same processor)	USPAT
65	BRS	30	@pd<20000403 and (((activate or open) with communication with protocol) same processor)	USPAT
66	IS&R	1	("5452420").PN.	USPAT ; US-PG PUB; IBM_T DB
67	BRS	2	@pd<20000403 and (((activate or open) with communication with queue) same processor)	USPAT

	Type	Hits	Search Text	DBs
68	BRS	5	@pd<20000403 and (((open or create)adj queue)) same processor)	USPAT
69	BRS	18	@pd<20000403 and (ipc same queue same processors)	USPAT
70	BRS	0	@pd<20000403 and (ipc same queue same processors same (open or initialize or create))	USPAT
71	BRS	0	@pd<20000403 and (ipc same ((open or create or activate) with queue) same processors)	USPAT
72	BRS	7	@pd<20000403 and (ipc same ((open or create or activate) with queue))	USPAT
73	BRS	184	@pd<20000403 and (processors same ((open or create or activate) with queue))	USPAT
74	BRS	10	@pd<20000403 and ((multiple with processors) same ((open or create or activate) with queue))	USPAT
75	BRS	9	@pd<20000403 and ((between adj4 processors) same ((open or create or activate) with queue))	USPAT
76	BRS	1	@pd<20000403 and (change with priority with (remote adj5 processor))	USPAT
77	BRS	0	@pd<20000403 and ((change adj priority) same (remote adj5 processor))	USPAT
78	BRS	2	@pd<20000403 and ((change adj priority) same (remote withprocessor))	USPAT
79	BRS	0	@pd<20000403 and ((change adj priority) same (remote with processor))	USPAT
80	BRS	4	@pd<20000403 and ((change with priority) same (remote with processor))	USPAT
81	BRS	1	@pd<20000403 and ((change with priority) same (remote with process))	USPAT
82	BRS	18	@pd<20000403 and (((change or set) with priority) same (remote with process\$2))	USPAT
83	BRS	3899	@pd<20000403 and ((remote with process\$2 with control))	USPAT
84	BRS	227	@pd<20000403 and ((start or pause or stop or resume) same(remote with process\$2 with control))	USPAT
85	BRS	292	@pd<20000403 and ((start or pause or stop or resume) same ((slave or client or server) with process\$2 with control))	USPAT
86	BRS	7	@pd<20000403 and (remote with distributed with (debugging or debugging))	USPAT
87	BRS	3	@pd<20000403 and (remote with (change or set) with priority with process)	USPAT
88	BRS	1	@pd<20000403 and (change with runtime with priority)	USPAT
89	BRS	0	@pd<20000403 and ((set or alter) with runtime with priority)	USPAT
90	BRS	4	@pd<20000403 and ((set or alter) same runtime same priority)	USPAT

	Type	Hits	Search Text	DBs
91	BRS	5	@pd<20000403 and ((set or alter or change) same runtime same priority)	USPAT
92	BRS	54	@pd<20000403 and (rpc same (process with control))	USPAT
93	BRS	68	@pd<20000403 and (rpc same (address or pointer) same function)	USPAT
94	BRS	89	@pd<20000403 and (rpc same ((download\$3 or upload\$3 or send or receive) with (code or program or function or method)))	USPAT
95	BRS	0	@pd<1999403 and (rpc same ((download\$3 or upload\$3 or send or receive) with (code or program or function or method)))	USPAT
96	BRS	33	@pd<20000403 and (dsp same cpu same single same chip)	USPAT
97	BRS	26	@pd<20000403 and (dsp same cpu same (single with chip))	USPAT
98	IS&R	1	("5724418").PN.	USPAT ; US-PG PUB; IBM_T DB
99	BRS	0	@pd<1999403 and (rpc same (address with program with location))	USPAT
100	BRS	0	@pd<1999403 and (rpc same ((address or location) with program))	USPAT
101	BRS	0	@pd<19990403 and (rpc same (address with program with location))	USPAT
102	BRS	40	@pd<19990403 and (rpc same ((address or location) with program))	USPAT